

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	47	("6052446" "6208638" "5765033" "6128646" "6292830" "5752128" "5940590" "5548722" "5291377" "5487666" "5715413" "5859966" "5864607" "6205479" "6216169" "6216169" "4852005" "5321610" "5325519" "5677851" "5742759" "5812776" "5819044" "5818904" "5842043" "5842176" "5861804" "5945989" "5949775" "6003082" "6037935" "6055637" "6055575" "6061700" "6061700" "6064986" "6098106" "6097496" "6108649" "6131120" "6141665" "6161112" "6185184" "6192050" "6208984" "6212534" "6212534" "6393569" "6411605" "6412007").pn.	USPAT	OR	OFF	2004/11/08 11:56
S2	50	("6412014" "6412077" "6442608" "6460055" "6542933" "6601040" "6606627" "6609103" "6622124" "6763336" "6772194" "5761288" "6058426" "5343387" "5412575" "5481463" "5581463" "5930761" "5359182" "5448710" "5996068" "6003770" "6018332" "6170745" "5790650" "6144723" "6388990" "5523942" "5315634" "5446653" "5673402" "5708909" "5737581" "6014698" "6263321" "6301573" "6718226" "6747679" "6750885" "6751650" "6753884" "5546595" "5550970" "5935211" "4916608" "5442630" "5450570" "5537542" "5642481" "5675790").pn.	USPAT	OR	OFF	2004/11/05 17:39
S3	3387	(709/224).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/05 17:39
S4	5867	(709/224-226).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/05 17:40
S5	1034	network adj1 allocat\$3	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:40
S6	751833	load balancing	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:40
S7	351	(network adj1 allocat\$3) and (load balancing)	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:44
S8	46	((709/224-226).CCLS.) and (network adj1 allocat\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:45
S9	5636	resource adj1 allocat\$3	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:45

S10	296	((709/224-226).CCLS.) and (resource adj1 allocat\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/05 17:45
S11	3321	(709/224-226).CCLS.	USPAT; USOCR	OR	OFF	2004/11/08 11:57
S12	0	(load adj1 balanc\$) with (service level agreement or sla) with (resource adj1 allocat\$3)	USPAT	OR	OFF	2004/11/08 11:59
S13	4	(load adj1 balanc\$) with (service level agreement or sla) with (resource adj1 allocat\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/08 12:02
S14	165	(resource adj1 allocat\$3) and ((709/224-226).CCLS.)	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:09
S15	109565	virtual ip and ((709/224-226).CCLS.)	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:10
S16	2	service adj1 level adj1 condition	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:12
S17	887	service adj1 level adj1 agreement	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:13
S18	9818	load adj balanc\$3	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:27
S19	482	load adj balanc\$3 with resource	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:24
S20	286	(705/57).CCLS.	USPAT; USOCR	OR	OFF	2004/11/08 13:25
S21	0	("(resourceadj1allocation)andl181").PN.	USPAT; USOCR	OR	OFF	2004/11/08 13:26
S22	1	(resource adj1 allocation) and ((705/57).CCLS.)	USPAT	OR	OFF	2004/11/08 13:26
S23	28	(service adj1 level adj1 agreement) and (load adj balanc\$3 with resource)	US-PGPUB; USPAT	OR	OFF	2004/11/08 14:44
S24	2076	(709/229).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 14:44
S25	40	(load adj1 balanc\$3) with (resource adj1 allocat\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/08 14:46
S26	1842	(sla or service level agreement) and ((709/229).CCLS.)	US-PGPUB; USPAT	OR	OFF	2004/11/08 14:47
S27	4	((sla or service level agreement) and ((709/229).CCLS.)) and (network adj resource adj allocat\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/08 14:47
S28	129	network adj resource adj allocat\$3	US-PGPUB; USPAT	OR	OFF	2004/11/08 15:19
S29	5867	(709/224-226).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/08 15:19

S30	629	((709/229).CCLS.) and ((709/224-226).CCLS.)	US-PGPUB; USPAT	OR	OFF	2004/11/08 15:19
S31	704757	load balancing and (((709/229).CCLS.) and ((709/224-226).CCLS.))	US-PGPUB; USPAT	OR	OFF	2004/11/08 15:20
S32	9818	load adj1 balanc\$3	US-PGPUB; USPAT	OR	OFF	2004/11/08 15:20
S33	92	((((709/229).CCLS.) and ((709/224-226).CCLS.)) and (load adj1 balanc\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/05 17:39
S34	8	(load adj1 balancing) with (sla or (service adj1 level adj1 agreement))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/05 17:47
S35	1638	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:47
S36	2311	(709/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 17:48
S37	275	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:52
S38	164	"5774668"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:53
S39	140	S38 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:56
S40	0	S39 and ((monitor\$3 or check\$3) same (sla or (service adj1 level adj1 agreement)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:58
S41	30	S39 and ((monitor\$3 or check\$3) same (sla or (service adj1 level adj1 agreement) or resource\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:37

S42	21	S39 and ((monitor\$3 or check\$3) with (sla or (service adj1 level adj1 agreement) or resource\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:21
S43	0	(virtual adj1 ip) and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:22
S44	0	(virtual adj1 ip) and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:22
S45	6	(virtual adj1 ip) and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:26
S46	47	(destination adj1 address) with (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:30
S47	27	S46 and (load adj1 balancing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:31
S48	109	(client\$1) with (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:31
S49	69	S48 and (load adj1 balancing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:31
S50	27	S49 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:36
S51	18123	(increas\$3 or decreas\$3) with (resource\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:37

S52	3784	S51 and ((monitor\$3 or check\$3) same (sla or (service adj1 level adj1 agreement) or resource\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:38
S53	153	S35 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:38
S54	68	S53 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:39
S55	20	S54 and ((user\$1 or client\$1) with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:12
S56	7	"5933413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:00
S57	0	"09408470"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:12
S58	2	"6587938"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:15
S59	16	(US-5793979-\$ or US-5881238-\$ or US-5991806-\$ or US-6009103-\$ or US-6018619-\$ or US-6112243-\$ or US-6128657-\$ or US-6658473-\$ or US-6748414-\$ or US-6516350-\$ or US-6067580-\$ or US-6687222-\$ or US-6665702-\$ or US-6871233-\$ or US-6862623-\$ or US-5675739-\$).did.	USPAT	OR	ON	2005/04/05 19:51
S60	62	client near3 (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:53

S61	22	S60 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:57
S62	0	(client near2 (destination adj1 address)) with (client near2 (virtual adj1 ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:59
S63	0	(client near2 (destination adj1 address)) same (client near2 (virtual adj1 ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:59
S64	19	(client with (destination adj1 address)) same (client with (virtual adj1 ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:03
S65	0	(client near5 input\$3) with (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:04
S66	0	(client near5 input\$3) same (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:04
S67	0	(client with input\$3) same (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:04
S68	109	(client) with (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:04
S69	20	S68 and ((destination adj1 address) with (virtual adj1 ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:07
S70	129	client\$1 with (virtual adj1 ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:19

S71	9168	(709/223-226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 20:19
S72	153	((monitor\$3 or check\$3) with (resource\$1 or bandwidth)) same (sla or (service adj1 level adj1 agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:21
S73	58	S71 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:21
S74	13	S73 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:21
S75	1	"6871233"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:03
S76	24	"6047322"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:06
S77	33	"5539659"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:34
S78	48	"6006260"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:56
S79	136	"6006264"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:56
S80	18	"6041354"	US-PGPUB; USPAT	OR	OFF	2005/04/11 10:58
S81	5	"6341309"	US-PGPUB; USPAT	OR	OFF	2005/04/11 11:00
S82	18	"6502131"	US-PGPUB; USPAT	OR	OFF	2005/04/11 13:08
S83	0	"09149877"	US-PGPUB; USPAT	OR	OFF	2005/04/11 13:08
S84	7	"5933413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:25
S85	2	"6587938"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:39

S86	0	(sla or (service adj1 level adj1 agreement)) with (table near5 (ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:40
S87	1	(sla or (service adj1 level adj1 agreement)) same (table near5 (ip adj1 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:41
S88	6601	load with (allocat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:42
S89	78	sla and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:44
S90	114	(sla or QoS) same (load near5 (distribut\$3 or allocat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:45
S91	27	S90 and @ad < "20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:47
S92	19	S91 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:51
S93	135	sla with (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:52
S94	54	S93 and @ad < "20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:55
S95	1641	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:56

S96	30	S95 and (virtual adj1 ip adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 13:56
S97	13	S96 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:06
S98	2346	(allocat\$3 or distribut\$3) with (network adj1 resource\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:07
S99	600	S98 and (sla or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:07
S100	203	S99 and ((service or resource) with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:10
S101	1	S100 and ("virtual ip address")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:09
S102	9250	S100 (virtual adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:11
S103	5	S100 and (virtual adj1 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:12
S104	2	S100 and (virtual adj1 ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:12
S105	95	S100 and @ad < "20000701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 14:13

S10 6	338	(resource adj1 allocat\$3) and ((709/224-226).CCLS.)	US-PGPUB; USPAT	OR	OFF	2005/04/11 16:04
S10 7	338	S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:05
S10 8	135	S107 and @ad < "20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:10
S10 9	7	sla and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:05
S11 0	922	user\$1 same (sla or (service adj1 level adj1 agreement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:11
S11 1	2346	(allocat\$3 or distribut\$3) with (network adj1 resource\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:12
S11 2	8634	allocat\$3 with server\$!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:12
S11 3	8624	allocat\$3 with server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:12
S11 4	301	S111 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:13
S11 5	37	S110 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:13

S11 6	2	S115 and @ad < "20000701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:17
S11 7	9175	(709/223-226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:17
S11 8	307	S111 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:17
S11 9	140	S118 and @ad < "20000701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:45
S12 0	149	(sla or (service adj1 level adj1 agreement)) with (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:46
S12 1	62	S120 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:49
S12 2	17	(classif\$4 or group\$3) with (user\$1 near5 sla)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:53
S12 3	3	(allocat\$3 with (network adj1 resource\$1)) same (user\$1 near5 SLA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:54
S12 4	4	(allocat\$3 with (network adj1 resource\$1)) same (user\$1 with SLA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:55
S12 5	22	(allocat\$3 with (network adj1 resource\$1)) same (SLA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:57

S12 6	3	S125 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:55
S12 7	1426	(allocat\$3 with (network adj1 resource\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:57
S12 8	626	S127 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:59
S12 9	1641	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:59
S13 0	29	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:59
S13 1	125	(sla) with (table\$1)	US-PGPUB; USPAT	OR	OFF	2005/04/13 13:56
S13 2	128	(sla) with (table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 13:56
S13 3	53	S132 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:01
S13 4	13	S133 and ((updat\$3 or modif\$4) with (table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:04
S13 5	32	(QoS with SLA) same (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:05

S13 6	8	S135 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:07
S13 7	1484	(monitor\$3 or check\$3 or evaluat\$3) with (QoS or SLA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:09
S13 8	32	S137 and (SLA near5 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:09
S13 9	14	S138 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:16
S14 0	8	classify\$3 with SLA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:17
S14 1	105	((service adj1 level adj1 agreement) or SLA) same (allocat\$3 with (bandwidth or (network adj1 resource\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:24
S14 2	22	S141 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:32
S14 3	16	"285111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 14:32
S14 4	869	(contract or sla) with table	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:40
S14 5	145	S144 and ((network adj1 resource) or bandwidth)	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:40
S14 6	145	S145 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:41
S14 7	49	S145 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:49

S14 8	71	(SLA or QoS) with (user adj1 (account or profile or table or contract))	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:50
S14 9	14	S148 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:55
S15 0	9192	(709/223-226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 15:55
S15 1	172	S150 and ((sla or (service adj1 level adj1 agreement) or QoS) same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:57
S15 2	339	S150 and ((sla or (service adj1 level adj1 agreement) or QoS) same (contract or account or table or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:57
S15 3	55	S151 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:11
S15 4	417	(monitor\$3 with traffic) same queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:12
S15 5	244	S154 and @ad < "20001205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:33
S15 6	47	((congested or busy or heavy) with traffic) and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:35
S15 7	0	S155 and (queue with (bandwidth adj1 manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:34
S15 8	557	(709/239).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 16:34

S159	385	S158 and @ad < "20001201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:47
S160	0	S159 and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:35
S161	16	((congested or busy or heavy) with traffic) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:35
S162	0	((alternate adj1 path) with ((heavy or congested) adj1 traffic)) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:48
S163	0	((alternate adj1 path) same ((heavy or congested) adj1 traffic)) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:49
S164	4	((alternate or different) same ((heavy or congested) adj1 traffic)) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:49
S165	53	"6097722"	US-PGPUB; USPAT	OR	OFF	2005/04/13 18:30
S166	4	cache and S165	US-PGPUB; USPAT	OR	OFF	2005/04/13 18:30
S167	0	(bandwidth with cache) and S166	US-PGPUB; USPAT	OR	OFF	2005/04/13 18:31
S168	0	(bandwidth same cache) and S166	US-PGPUB; USPAT	OR	OFF	2005/04/13 18:31
S169	0	(bandwidth same cache) and S165	US-PGPUB; USPAT	OR	OFF	2005/04/13 18:31
S170	217	switch with (forwarding adj1 table)	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:48
S171	105	S170 and @ad < "20001205"	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:53
S172	29	cache and S171	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:55
S173	23	bandwidth and S172	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:28

S17 4	1	"6871233"	US-PGPUB; USPAT	OR	OFF	2005/04/14 14:04
S17 5	4219	(sla or qos) with (table or database or data)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:30
S17 6	721	(sla or qos) with (table)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:30
S17 7	49350	(reduc\$3 or increas\$3) with (bandwidth)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:30
S17 8	176	S176 and S177	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:30
S17 9	48	S178 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:36
S18 0	22	((user adj1 id) or (ip adj1 address)) with (sla)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:39
S18 1	136	((user adj1 id) or (ip adj1 address) or contract) with (sla)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:47
S18 2	20	S181 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:40
S18 3	0	sla same (identification with table)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:48
S18 4	23	sla same ((user or client) with table)	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:56
S18 5	10209	resource with allocat\$3	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:56
S18 6	1498	(sla or qos) and S185	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:56
S18 7	257	((user or client) with (table or contract)) and S186	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:57
S18 8	121	S187 and @ad < "20000707"	US-PGPUB; USPAT	OR	OFF	2005/04/14 19:57
S18 9	141	(allocat\$3 with server\$1) same (sla or qos)	US-PGPUB; USPAT	OR	OFF	2005/04/15 12:05
S19 0	29	S189 and @ad < "20000701"	US-PGPUB; USPAT	OR	OFF	2005/04/15 12:27
S19 1	14	(load adj1 balancing) same sla	US-PGPUB; USPAT	OR	OFF	2005/04/15 12:28
S19 2	83	(allocat\$3 with (bandwidth or server\$1)) same sla	US-PGPUB; USPAT	OR	OFF	2005/04/15 13:12
S19 3	2327	(709/229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 13:12

S19 4	5	S193 and ((allocat\$3 with (server\$1 or resource\$1)) same sla)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:14
S19 5	392	S193 and (allocat\$3 with (server\$1 or resource\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 13:15
S19 6	208	S195 and @ad < "20000707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:25
S19 7	1	"6857025"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:26
S19 8	2	"6631118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 15:27